



## Collections

**Ali di Luce** 24-35

**D01**

Pendant 54-59  
Wall 64-69

**D02**

Pendant 36-43  
Singolo 44-47  
Wall 84-87  
Floor 102-107

**D03** 48-53

**Equilibrio**

Pendant 6-13  
Wall 88-91

**Nuvole Rapide**

Pendant 60-63  
Wall 70-73  
Table 98-101

**Stilla**

Wall 74-79  
Braccio 80-83  
Table 92-97

**Stoccolma** 14-23

*Dedicato a chi di luce vive*

*Dedicated to those who live on light*



*"I see light as a never ending series of possibility to create poetic and functional products"*

*Giulia Liverani | Head of Design*

My design process starts from light and emotions more than shape and colors.

I'm driven by the belief that lighting design is not just about light up a space but rather a way of furnishing, creating astonishment, magic and beauty. Those three themes are the foundations of my way to think light and the fittings that shape it.

---


*Il mio processo creativo inizia dalla luce e dalle emozioni più che da forme o colori.*

*Credo che progettare con la luce non significhi semplicemente illuminare uno spazio ma sia piuttosto un modo di arredare, creando stupore, magia e bellezza. Questi tre temi sono alla base del mio modo di pensare la luce e gli oggetti che le danno forma.*

# Equilibrio


Equilibrio is a lamp with no structure. When the two ends of the lamp are close, the magnetic force in between them becomes strong enough to challenge gravity, letting the lamp magically float in the air. The bottom part do not have a rigid body but is attracted by the upper part via two magnets. Due to the weight of the base, the two parts never get in contact creating an intense sense of astonishment. The design is pure and simple, balanced also from an aesthetic point of view. Equilibrio is the perfect object to light up every space.

*Equilibrio è una lampada priva di una struttura rigida. Quando le due estremità si trovano allineate, la forza magnetica è abbastanza forte per vincere la gravità, permettendo alla lampada di fluttuare magicamente in un permanente stato di equilibrio. La parte inferiore è attratta da quella superiore grazie a due magneti i quali, grazie al peso della base, rimangono in tensione senza mai toccarsi.*







## Products



EQF



EQFSF



EQFSW

## Tech info


**Mounting:** Indoor floor to ceiling  
**Light source:** 1x interchangeable LED  
 3000K 550lm CRI 80 / 2700K 420lm CRI 90  
**Input Voltage:** 100 ÷ 240V  
**Power:** 7 W (LED 4.7W)  
**Switching:** Dimmer touch  
**Material:** Anodized aluminium and Acrylic  
**Weight:** 2kg

 BLACK MATT

 BRASS SATIN



SW




SF

\* The LED can be replaced with original part

\*\*If your ceiling is higher, a longer steel wire for the top part is available on request





12 iconic

13 iconic

# Stoccolma

"May light be flexible?".

Stoccolma was born as the answer to this question.

Inspired by the strings of a musical instrument, Stoccolma is a lamp that works thanks to the tension of two elastic and metal cables that support and bring current to a central light source. This is linked to the tracks through a special hooking system which allows the light to be moved and rotate, giving the user the ability to bring light wherever it is needed.


"La luce può essere flessibile?".

Stoccolma nasce come risposta a questa domanda.


Ispirata alle corde di uno strumento musicale, Stoccolma è una lampada che funziona grazie alla tensione di due cavi elasticici e metallici che sostengono e portano corrente a una sorgente luminosa centrale. Questa è collegata ai binari attraverso uno speciale sistema di aggancio che permette alla luce di essere spostata e ruotata, dando all'utente la possibilità di portare la luce dove serve.




## Potential configuration




Stoccolma V with Wall anchors 15cm




Stoccolma V with Wall anchors 15cm + Two anchors 15cm (KIT15)




Stoccolma V with Ceiling anchors 5cm



Stoccolma V with Ceiling anchors 5cm + Two anchors 5cm (KIT5)




Stoccolma O with Wall anchors 5cm



Stoccolma O with ceiling anchors 5cm

## Products



### Tech info

#### Product Code: STCV

**Mounting:** Indoor Wall to Wall / Ceiling  
**Light source:** 1x LED 2700K CRI 80 1350lm  
**Input Voltage:** 220÷ 240V  
**Power:** 20W(LED 12W)  
External power supply with plug type C  
**Switch:** Dimmer touch  
**Material:** Steel / Brass  
**Weight:** 1kg

#### Product Code: STCO

**Mounting:** Indoor Wall to Ceiling  
**Light source:** 1x LED 2700K CRI 80 1350lm  
**Input Voltage:** 180÷ 240V  
**Power:** 20W(LED 12W)  
Internal power supply  
**Dimmable:** with 0-10V dimming  
**Material:** Steel / Brass  
**Weight:** 1kg


RAL9005 (with steel cable)

GLOSS GOLD (with brass cable)

#### Personalization options available:

Length of the cables, 3000K LED

It is recommended that the installation respects a maximum ratio of 1:2 between the width and height of the lamp.




18 iconic

19 iconic



20 iconic



21 iconic

The lamp is declined in two different version V and O , the first one has an external power supply to be inserted in a standard plug, the O version instead can be directly connected to the general electric plant.

Differents anchor points makes Stoccolma easily customizable and extremely functional: a flexible interactive lamp that can light up every place.

*La lampada è declinata in due diverse versioni V e O, la prima ha un alimentatore esterno da inserire in una spina standard, la versione O invece può essere collegata direttamente all'impianto elettrico generale. I diversi punti di ancoraggio rendono Stoccolma facilmente personalizzabile ed estremamente funzionale: una lampada interattiva flessibile che può illuminare ogni luogo.*



22 Iconic




23 Iconic


# Ali di Luce

Ali di Luce is a modular system : by selecting the type number and color of the light sources, the length of the cables and the quantity of metal bars, it is possible to create different paths and design the light you need. The light sources in glass (diffused beam) or in folded metal (directional beam) are able to rotate 360° and move along the metal bars that form the body of the lamp. The natural appeal, the chromatic combinations and the essential lines make Ali di Luce a tool that allows the designer to creatively solve the lighting of any internal environment by providing infinite possibilities of compositions.


Ali di Luce è un sistema modulare: scegliendo il tipo, il numero e il colore delle sorgenti luminose, la lunghezza dei cavi e la quantità di barre metalliche è possibile creare percorsi e proiettare la luce di cui si ha bisogno. Le sorgenti luminose in vetro (fascio diffuso) e in metallo piegato (fascio diretto) di rotare di 360° e spostarsi lungo le barre metalliche che compongono il corpo della lampada. Il richiamo naturale, gli accostamenti cromatici e le linee essenziali rendono Ali di Luce uno strumento che permette al progettista di risolvere in modo creativo l'illuminazione di qualsiasi ambiente interno fornendo infinite possibilità di composizioni.



## Potential configuration



## Components



## Tech info

### Single light source features


**Mounting:** Indoor  
**Light source:** LED 2700K CRI 80 400lm nominee  
**Input Voltage:** 180 ÷ 240V  
**Power:** 3W  
**Dimmer:** 0-10V  
**Material:** Steel or Glass  
**Weight:** 0.3 kg

**Power supply:** 20W/40W/60W  
**Cable:** Silicon and copper  
**Cable colors:** White or Black  
**Rod:** Brass  
**Rod colors:** Brass or Black




### Personalization options available:

Length of the cables, DALI driver, 3000K LED, Number and type of light source







28 Iconic






29 Iconic



30 Iconic

31 Iconic





# D02


D.02 Pendant is designed to allow the user to customize the light position through an adjustable cable. To increase the customization of the entire lamp, in order to perfectly fit different lighting needs the LED source is available with a punctual spotlight of 45° or an acrylic diffuser. D.02 Pendant is a minimal and elegant suspension lamp composed of a multiple number of high quality LEDs. Available with 4 or 6 or 8 light sources, the shape of the lamp and the position of the lights is totally customizable. Perfectly fits on a dining table, in a living room such as in a hall or a bedroom.

*Il lampadario D.02 è stato progettato per permettere all'utente di personalizzare la posizione delle luci grazie ai cavi regolabili. E' inoltre possibile personalizzare la sorgente luminosa scegliendo tra due tipologie: una luce spot con lente a 45° o un diffusore in acrilico. D.02 Pendant è un lampadario leggero ed elegante composto da un numero variabile di LED. Disponibile con 4 o 6 o 8 punti luce, la forma della lampada e la posizione delle sorgenti luminose è totalmente personalizzabile adattandosi perfettamente ad ogni ambiente, dalle sale da pranzo ai salotti, dalle hall alle camere da letto.*






## Products




D02P4

each pendant has 2 cables of 160cm



D02P6




D02P8

Light type



A Lens



B Diffuser

## Tech info

### Product Code: D02P8

**Mounting:** indoor ceiling

**Light source:** 8x interchangeable LED  
3000k 390lm CRI 80 / 2700k 350lm CRI 90

**Input Voltage:** 180÷ 240V

**Power:** 26W

**Dimmable :** with 0-10V dimming

**Material:** Alluminium, Steel

**Weight:** 4kg

### Product Code: D02P6

**Mounting:** indoor ceiling

**Light source:** 6x interchangeable LED  
3000k 390lm CRI 80 / 2700k 350lm CRI 90

**Input Voltage:** 180÷ 240V

**Power:** 22W

**Dimmable :** with 0-10V dimming

**Material:** Alluminium, Steel

**Weight:** 4kg

### Product Code: D02P4

**Mounting:** indoor ceiling

**Light source:** 4x interchangeable LED  
3000k 390lm CRI 80 / 2700k 350lm CRI 90

**Input Voltage:** 180÷ 240V

**Power:** 12W

**Dimmable :** with 0-10V dimming

**Material:** Alluminium, Steel

**Weight:** 3kg



RAL9005



RAL9010



## Personalization options available:

Length of the cables, light type, Dimmer DALI, extra ceiling hook, extra diffusers or lens



40 Suspension

41 Suspension



42 Suspension


43 Suspension

# D02Singolo

*D.02 Singolo is the single-cable version of the D.02 family. Single-cable light sources can be used to design free-form lamps to suit any context. With a single product, simple pendant solutions can be achieved, such as above a kitchen, as well as design offsets to bring light where there is none.*  
*It is also possible to customize the light source by choosing between two types: a spot light with a 45° lens or an acrylic diffuser.*


*D.02 Singolo è la versione ad unico cavo della famiglia D.02. Le sorgenti luminose a cavo singolo possono essere utilizzate per disegnare lampade, dalla forma libera, adatte ad ogni contesto. Con un unico prodotto si ottengono soluzioni pendenti semplici, quali sopra una cucina, come decentramenti a disegno per portare la luce dove non c'è.*

*E' inoltre possibile personalizzare la sorgente luminosa scegliendo tra due tipologie: una luce spot con lente a 45° o un diffusore in acrilico.*





## Products



## Tech info

### **Product Code:** D02P1/ D02P14

**Mounting:** Indoor Ceiling

**Light source:** 1x interchangeable LED 45° 3000k 400lm CRI 80 / 2700k 350lm CRI 90

**Input Voltage:** 100÷ 240V

**Power:** 4W

**Dimmable:** D02P14 on/off and dimmer on the base

**Material:** Aluminium, Steel

**Weight:** 1kg

### **Product Code:** D02P2/ D02P24

**Mounting:** Indoor Ceiling

**Light source:** 2x interchangeable LED 3000k 400lm CRI 80 / 2700k 350lm CRI 90

**Input Voltage:** 100÷ 240V


**Power:** 12W

**Dimmable:** D02P24 on/off and dimmer on the base


**Material:** Aluminium, Steel

**Weight:** 1,8kg


## Options



Type A  
lens 45°



Type B  
Diffuser



External Plug  
type C



RAL9005



RAL9010

## Personalization options available:

Length of the cables. External plug type C

# D03

D.03 Pendant is lamp unique and precious, a decorative object that gives personality to the entire environment. The main part of the D.03 Pendant is a disc of a pure and gentle white suspended by two thin cables in brass or black. Both the 50cm and 70cm had two high powerful LEDs that diffuses a perfect and uniform light in the space.

The dimmable high quantity of light produced by the product face the needs of several spaces: livingrooms, bedrooms but also restaurants and halls.


*D.03 Pendant è una lampada unica e preziosa, un oggetto decorativo che conferisce personalità all'intero ambiente. La parte principale della D.03 Pendant è un disco di un bianco puro e delicato sospeso da due sottili cavi in ottone o nero. Sia il modello da 50 cm che quello da 70 cm sono dotati di due LED ad alta potenza che diffondono una luce perfetta ed uniforme nello spazio.*

*L'elevata quantità di luce dimmerabile emessa dal prodotto risponde alle esigenze di diversi spazi: soggiomi, camere da letto ma anche ristoranti e sale.*






## Products



D03P50



D03P70

## Tech info

### Product Code: D03P50

**Mounting:** Indoor Ceiling  
**Light source:** 2x LED 2700K CRI 80 1350lm  
**Input Voltage:** 180÷ 240V  
**Power:** 30W( 2 x LED 12W)  
**Dimmable:** with 0-10V dimming  
**Colors:** Brass and white or black and white  
**Material:** Brass, steel  
**Weight:** 5kg



RAL9005



RAL9010

### Product Code: D03P70

**Mounting:** Indoor Ceiling  
**Light source:** 2x LED 2700K CRI 80 1350lm  
**Input Voltage:** 180÷ 240V  
**Power:** 30W( 2x LED 12W)  
**Dimmable:** with 0-10V dimming  
**Colors:** Brass and white or black and white  
**Material:** Brass, steel  
**Weight:** 6kg

### Personalization options available:

Length of the cables, 3000K LED, Driver DALI, separate LED controller



52 Suspension

53 Suspension

# D01

The geometric elegance of the pendant lamp lights up and enhance the environment as precious jewels.



D.01 Pendant, available in two dimensions and different configurations, is an elegant aluminum cylinder that contains a punctual interchangeable high quality LED. The proximity switch on the body of the lamp allows the user to easily control the light source.

A minimal but functional spotlight that perfectly fits in a dining room, in a bedroom or anywhere requires a unique atmosphere.

*L'eleganza geometrica della lampada a sospensione illumina e valorizza l'ambiente come un gioiello prezioso.*


*D.01 Pendant, disponibile in due dimensioni e in diverse configurazioni, è un elegante cilindro in alluminio che contiene un LED puntuale intercambiabile di alta qualità. L'interruttore di prossimità sul corpo della lampada permette all'utente di controllare facilmente la sorgente luminosa.*

*Una luce minimale ma funzionale che si adatta perfettamente a una sala da pranzo, a una camera da letto o a qualsiasi luogo che richieda un'atmosfera unica.*





## Products



D01P30      D01P302      D01P303      D01P15      D01P152      D01P153

## Tech info

**Product Code:** D01P30 \*\*/ D01P15 \*\*

**Mounting:** indoor ceiling

**Light source:** 1x interchangeable LED 45°  
3000k 550lm CRI 80 / 2700k 420lm CRI 90

**Input Voltage:** 220 ÷ 240V \*

**Switch:** Capacitive proximity sensor or standard

**Power:** 7W

**Material:** Alluminium, Steel

**Weight:** 1kg

**Product Code:** D01P302 / D01P152

**Mounting:** indoor ceiling

**Light source:** 2x interchangeable LED 45°  
3000k 550lm CRI 80 / 2700k 420lm CRI 90

**Input Voltage:** 180 ÷ 240V

**Power:** 12W

**Dimmer:** no

**Material:** Alluminium, Steel

**Weight:** 1.5kg

**Product Code:** D01P303 / D01P153

**Mounting:** indoor ceiling

**Light source:** 3x interchangeable LED 45°  
3000k 550lm CRI 80 / 2700k 420lm CRI 90

**Input Voltage:** 180 ÷ 240V

**Power:** 18W

**Dimmer:** no

**Material:** Alluminium, Steel

**Weight:** 3kg



RAL9010



BLACK MATT





BRASS SATIN

### Personalization options available:

Length of the cables, 3000K LED

In the standard on/off version (without capacitive proximity sensor) the input voltage would be 110 ÷ 240 V  
To ensure a proper operation of the proximity touch it is necessary to have the earthing wire of the general electric plant connected to the lamp.



58 Suspension

59 Suspension


# Nuvole Rapide

Nuvole Rapide more than a lamp is a window, an escape route to lightness and happiness. A series of objects that enchant and relax: the constant movement of Nuvole Rapide makes us feel the same sensations as traveling or simply lying on a meadow looking at the sky. The classic geometries in metal and glass are intended to focus attention on what is happening inside the sphere. A small airplane, which can be positioned at will above the lamp, also focuses attention on the clouds: changeable and impalpable. The pendant lamp, suspended by a thin metal cable, perfectly fits on tables, kitchens or small rooms.


*Nuvole Rapide è più di una lampada. È una finestra, una via di fuga verso la leggerezza e la felicità.*

*Le geometrie classiche in metallo e vetro hanno lo scopo di focalizzare l'attenzione su ciò che accade all'interno della sfera. Un piccolo aeroplano, che può essere posizionato a piacere sopra la lampada, focalizza l'attenzione anche sulle nuvole: mutevoli e impalpabili.*

*La lampada pendente, sospesa da un sottile cavo metallico, si adatta perfettamente a tavoli, cucine o piccole stanze.*



## Products



## Tech info

### Product Code: NRP/NRP-DEC

**Mounting:** Indoor Ceiling  
**Light source:** 1x LED 3000K CRI 80 2350lm nominee  
**Input Voltage:** 180÷ 240V  
**Power:** 24W( 1x LED 17W)  
**Dimmable:** with 0-10V dimming  
**Colors:** Handpainted  
**Material:** Glass, steel  
**Weight:** 5kg

### Product Code: NRP2

**Mounting:** Indoor Ceiling  
**Light source:** 2x LED 3000K CRI 80 2350lm nominee  
**Input Voltage:** 180÷ 240V  
**Power:** 40W ( 2 x LED 17W)  
**Dimmable:** with 0-10V dimming  
**Colors:** Handpainted  
**Material:** Glass, steel  
**Weight:** 10kg



Blue



RAL0808005

### Personalization options available:

Lenght of the cables, Driver DALI, Light source E27 220V (no cloud effect)

# D01

The geometric elegance of the wall lamp lights up and enhance the environment as precious jewels.


D.01 Wall has a punctual high quality LED light source that can be moved in different directions according to user needs. The touch dimmer switch, in the lower part of the lamp, allows the user to easily control the light source.

A decorative and functional jewel that perfectly fits next to a bed or to enhance an exclusive corner.

*L'eleganza geometrica della lampada da parete illumina e valorizza l'ambiente come un gioiello prezioso.*


*D.01 Wall è dotata di una sorgente luminosa puntuale LED ad alta potenza che può essere direzionata a seconda delle esigenze dell'utente. L'interruttore touch dimmer, nella parte inferiore della lampada, permette di accendere, spegnere e regolare l'intensità.*

*Un gioiello decorativo e funzionale che si adatta perfettamente a un letto o a valorizzare un angolo esclusivo.*






## Products




330°



90 mm

D01W

150 mm



D01W-C

cables length 150cm

## Tech info

**Product Code:** D01W

**Mounting:** indoor wall

**Light source:** 1x interchangeable LED 45°  
3000k 400lm CRI 80 / 2700k 350lm CRI 90

**Input Voltage:** 100 ÷ 240V

**Power:** 4W

**Switch:** Dimmer touch or external  
cable with on off

**Material:** Aluminium, Steel

**Weight:** 1kg

 BLACK MATT


 RAL9010

 BRASS SATIN , RAL 9005

 BRASS SATIN, RAL 9010

**Personalization options available:**

Length of the cables, custom RAL/NCS color



68 Wall

69 Wall

# Nuvole Rapide

Nuvole Rapide more than a lamp is a window, an escape route to lightness and happiness. A series of objects that enchant and relax: the constant movement of Nuvole Rapide makes us feel the same sensations as traveling or simply lying on a meadow looking at the sky. The classic geometries in metal and glass are intended to focus attention on what is happening inside the sphere. A small airplane, which can be positioned at will above the lamp, also focuses attention on the clouds: changeable and impalpable. The wall lamp is powered by an integrated LED that emits 2350lm nominal.


*Nuvole Rapide è più di una lampada. È una finestra, una via di fuga verso la leggerezza e la felicità*

*Le geometrie classiche in metallo e vetro hanno lo scopo di focalizzare l'attenzione su ciò che accade all'interno della sfera. Un piccolo aeroplano, che può essere posizionato a piacere sopra la lampada, focalizza l'attenzione anche sulle nuvole: mutevoli e impalpabili.*

*La lampada da parete è dotata di un LED integrato che emette 2350lm nominali.*




70 Wall



71 Wall

## Products



## Tech info

**Product Code:** NRWC

**Mounting:** Indoor Wall Ceiling

**Light source:** 1x LED 3000K

CRI 80 2350lm nominee

**Input Voltage:** 180÷ 240V

**Power:** 24W( 1x LED 17W)

**Dimmable:** with 0-10V dimming

**Colors:** Handpainted

**Material:** Glass, steel

**Weight:** 5kg



Blue



RAL0808005

**Personalization options available:**

Driver DALI, Light source E27 220V (no cloud effect)

# Stilla

Developed in collaboration with the Designer Alessia Degrandi, Stilla is a collection born with the idea of creating a product with a minimal design whose light can be directed and at the same time diffused or punctual.


Stilla Wall is equipped with two bulbs, one of which can be switched off using a button on the base. By turning the two beams of light on, off and rotating, it is possible to change the lighting conditions of the room, making Stilla Wall a multifunctional applique perfect for the bedroom, kitchen or corridors.

Sviluppata in collaborazione con la designer Alessia Degrandi, Stilla è una collezione nata con l'idea di creare un prodotto dal design minimale la cui luce può essere diretta e allo stesso tempo diffusa o puntuale.

Stilla Wall è dotata di due lampadine, una delle quali può essere spenta tramite un pulsante sulla base. Accendendo, spegnendo e ruotando i due fasci di luce è possibile modificare le condizioni di illuminazione della stanza, rendendo Stilla Wall un'applicazione multifunzionale perfetta per la camera da letto, la cucina o i corridoi.



74 Wall




75 Wall



76 Wall

## Products



STLW

## Tech info

**Product Code:** STLW

**Mounting:** Indoor Wall

**Light source:** 2x light bulbs G4 35mm max 4W

**Input Voltage:** 100÷ 240V

**Power:** 12W

**Switch:** Controller of one light source on the base

**Material:** Metal, PP diffuser

**Weight:** 2kg

 RAL9005

 RAL0808005

\* Light bulbs are not included in the packaging



78 Wall

79 Wall

# StillaB

Developed in collaboration with the Designer Alessia Degrandi, Stilla is a collection born with the idea of creating a product with a minimal design whose light can be directed and at the same time diffused or punctual.

Stilla Braccio mounts two directional light bulbs at the end of a metal rod that can be moved to set the light where required. Available in two dimension, 60cm or 120cm, and two colors, Stilla Braccio perfectly fits in bedrooms and kitchens.

Sviluppata in collaborazione con la designer Alessia Degrandi, Stilla è una collezione nata con l'idea di creare un prodotto dal design minimale la cui luce può essere diretta e allo stesso tempo diffusa o puntuale.

Stilla Braccio monta due lampadine direzionali all'estremità di un'asta metallica che può essere spostata per dirigere la luce dove desiderato. Disponibile in due dimensioni, 60 cm o 120 cm, e in due colori, Stilla Braccio si adatta perfettamente a camere da letto e cucine.




80 Wall




81 Wall




## Products




STLB60



330°



STLB120



STLB60 - STLB120  
available with cable  
and plug type C

## Tech info

**Product Code:** STLB60/STLB120

**Mounting:** Indoor Wall

**Light source:** 2x light bulbs G4 35mm max 4W

**Input Voltage:** 100÷ 240V

**Power:** 12W

**Switch:** Controller of one light source on the base

**Material:** Metal, PP diffuser

**Weight:** 4kg/5kg

RAL9005

RAL0808005

\* Light bulbs are not included in the packaging

# D02

D.02 Wall is designed to customize the light position through a flexible arm. To increase the customization, in order to perfectly fit different lighting needs, the interchangeable LED source is available with a punctual spotlight of 45° or an acrylic diffuser.

The touch dimmer on the base allows easy modification of the intensity of the light as well as the on/off control. The D02 Wall is perfect as both reading and decorative light next to a bed or to enhance a corner.

*D.02 Wall è progettata per personalizzare la posizione della luce attraverso un braccio flessibile. Per aumentare la personalizzazione, in modo da adattarsi perfettamente alle diverse esigenze di illuminazione, la sorgente LED intercambiabile è disponibile con un faretto puntuale di 45° o con un diffusore acrilico.*

*Il dimmer a sfioramento sulla base consente di modificare facilmente l'intensità della luce e il controllo di accensione e spegnimento. La D02 Wall è perfetta sia come luce da lettura che come luce decorativa accanto a un letto o per valorizzare un angolo.*




84 Wall




85 Wall



## Products



Light type :



D02W

## Tech info

**Product Code:** D02W

**Mounting:** indoor wall

**Light source:** 1x interchangeable LED

3000k 390lm CRI 80 / 2700k 350lm CRI 90

**Input Voltage:** 100÷ 240V

**Power:** 5W

**Switch:** Dimmer touch

**Colors:** Black matte

**Material:** Alluminium, Steel

**Weight:** 1kg




\* The LED can be replaced with original part

# Equilibrio

The wall version of Equilibrio was born with the desire to design a wall lamp that combines Equilibrio's magic and atmospheric light with a functional light able to enhancing and defining spaces.


The design put in the foreground this series' two characteristic cylinders which, thanks to their bond and the magnetic force, attract each other but never touch. Those are highlighted by a frame that holds in the back two more light bulbs whose light beam tends to enhance the verticality and clean lines of the whole collection.

*La versione da parete di Equilibrio nasce con il desiderio di disegnare una lampada da parete che coniuga la magia e la luce d'atmosfera tipica di Equilibrio con una luce funzionale capace di esaltare e definire gli spazi. Il design pone in primo piano i due cilindri caratteristici di questa serie che, fermati da due vincoli e grazie alla forza magnetica che li lega, si attraggono e non si toccano mai. Questi sono messi in risalto da una cornice che nel retro ospita due lampadine il cui fascio di luce tende ad esaltare la verticalità e la linea pulita che distinguono l'intera collezione.*





## Products



EQW

## Tech info

**Product Code:** EQW

**Mounting:** Indoor wall

**Light source:** 1x pcb LED\* 400 lm nominal / 3000 K or 2700 K plus 2x GU10 bulbs

**Input Voltage:** 100÷ 240V

**Power:** LED 7W, GU10 max 30W

**Dimmer:** no

**Colors:** White and Brass

**Material:** Aluminium / Steel

**Weight:** 2kg



RAL9010



BRASS SATIN

\* The LED can be replaced with original part

# Stilla

Developed in collaboration with the Designer Alessia Degrandi, Stilla is a collection born with the idea of creating a product with a minimal design whose light can be directed and at the same time diffused or punctual.


Stilla Table mounts an integrated LED controlled by an on/off switch and dimmer on the base. The light can be directed upwards and therefore diffused by the hat, in order to obtain a soft and decorative light, or it can be directed downwards and be used as a reading and writing light.

Sviluppata in collaborazione con la designer Alessia Degrandi, Stilla è una collezione nata con l'idea di creare un prodotto dal design minimale la cui luce può essere diretta e allo stesso tempo diffusa o puntuale.

Stilla Table monta un LED integrato controllato da un interruttore on/off e da un dimmer interruttore on/off e dimmer sulla base. La luce può essere diretta verso l'alto e quindi diffusa dal cappello oppure può essere diretta verso il basso ed essere utilizzata come luce da scrivania.




92 Table/Floor



93 Table/Floor



## Products



STLT

## Tech info

**Product Code:** STLT

**Mounting:** Indoor table

**Light source:** 1x LED 2700K CRI 80 1350lm

**Input Voltage:** 220 ÷ 240V

**Power:** 20W(LED 12W)

External power supply with plug type C

**Switch:** Dimmer touch on the base

**Material:** Steel, PP diffuser

**Weight:** 3kg

 RAL9005

 RAL0808005


\* Light bulb are not included in the packaging



96 Table/Floor



97 Table/Floor




# Nuvole Rapide

Nuvole Rapide more than a lamp is a window, an escape route to lightness and happiness. A series of objects that enchant and relax: the constant movement of Nuvole Rapide makes us feel the same sensations as traveling or simply lying on a meadow looking at the sky. The classic geometries in metal and glass are intended to focus attention on what is happening inside the sphere. A small airplane, which can be positioned at will above the lamp, also focuses attention on the clouds: changeable and impalpable. The table lamp is powered by an integrated LED that emits 2350lm nominee.

*Nuvole Rapide è più di una lampada. È una finestra, una via di fuga verso la leggerezza e la felicità.*


*Le geometrie classiche in metallo e vetro hanno lo scopo di focalizzare l'attenzione su ciò che accade all'interno della sfera. Un piccolo aeroplano, che può essere posizionato a piacere sopra la lampada, focalizza l'attenzione anche sulle nuvole: mutevoli e impalpabili.*

*La lampada da tavolo è dotata di un LED integrato che emette 2350lm nominali.*





## Products



NRT

## Tech info

### Product Code: NRT

**Mounting:** Indoor Table  
**Light source:** 1x LED 3000K  
CRI 80 2350lm nominee  
**Input Voltage:** 180÷ 240V  
**Power:** 24W( 1x LED 17W)  
**Dimmable:** NO  
**Colors:** Handpainted  
**Material:** Glass, steel  
**Weight:** 5kg



Blue



RAL0808005

### Personalization options available:

Light source E27 220V (no cloud effect)

# D02


D.02 Floor is designed to customize the light position and direction through a flexible arm. To increase the customization, in order to perfectly fit different lighting needs, the interchangeable LED source is available with a punctual spotlight of 45° or an acrylic diffuser. The touch dimmer on the base allows easy modification of the intensity of the light as well as the on/off control. The D02 Floor is perfect as both reading and decorative light next to an armchair or a bed.

*D.02 Floor è progettata per personalizzare la posizione e la direzione della luce attraverso un braccio flessibile. Per aumentare la flessibilità, in modo da adattarsi perfettamente alle diverse esigenze di illuminazione, la sorgente LED intercambiabile è disponibile con un faretto puntuale di 45° o con un diffusore acrilico. Il dimmer a sfioramento sulla base consente di modificare facilmente l'intensità della luce e il controllo di accensione e spegnimento. D02 Floor è perfetta come luce da lettura o decorativa accanto a una poltrona o a un letto.*







## Products



Light type :



D02F

## Tech info


**Mounting:** Indoor floor  
**Light source:** 1x interchangeable LED  
3000k 550lm CRI 80 / 2700k 420lm CRI 90  
**Input Voltage:** 100 ÷ 240V  
**Power:** 7 W (LED 4.7W)  
**Switching:** Dimmer touch  
**Material:** Alluminium, Steel  
**Weight:** 2kg




\* The LED can be replaced with original part



106 Table/Floor



107 Table/Floor



## About Olive

OliveLab is a startup born in 2017 in Turin, Italy with the aim of creating a **new generation of lighting products**. We believe that lamps should be beautiful and qualitatively perfect but, most of all, they should be tools to experience light and create emotions. To do this, we combine the **needs of human beings with innovative materials and technologies**, producing something new that goes beyond the common imagination. Our design is pure and simple, but behind this apparent simplicity hides a world of research and meaning. In our production site in the Turin region we work on the development, assembling and quality control of all the products that leave our company. Our net of supplier is based in **Italy**, even if the higher part is based in Turin region. Partners more than suppliers, their know how in several fields of production is strong of ages of activity and allows us to develop innovative products with the highest quality standard.

---

OliveLab è una startup nata a Torino nel 2017 con l'ambizione di realizzare una **nuova generazione di prodotti di illuminazione**. Noi crediamo che le lampade dovrebbero essere strumenti per interagire con la luce e creare emozioni. Vogliamo modificare il rapporto estetico tra luce ed essere umano. Per raggiungere questo obiettivo **combiniamo le necessità dell'essere umano con materiali e tecnologie innovativi** realizzando prodotti unici che vadano oltre la normale immaginazione. Nella nostra sede in provincia di Torino seguiamolo sviluppo prodotto, l'assemblaggio ed il controllo qualità di tutti i prodotti che lasciano la nostra sede. Il nostro livello di qualità è forte dell'esperienza decennale dei nostri fornitori situati in Piemonte ed in tutta **Italia**.

Il nostro design è puro e semplice, ma dietro questa semplicità si nasconde grande ricerca ed un profondo significato.



olivelab

Are you an **Architect or Interior designer?**  
Write us a line for any information

Photo credits: Anna Brignolo

Architetto o Interior designer?  
Contattaci per qualsiasi informazione

[professionals@olivelab.it](mailto:professionals@olivelab.it)

**Reseller or commercial?**  
For more information please contact  
Rivenditore o partner commerciale? Scrivi a

[sales@olivelab.it](mailto:sales@olivelab.it)

Visit our website for more **images, tech info and 3D models**  
Visita il nostro sito per maggiori immagini, schede tecniche e modelli 3D  
[www.olivelab.it](http://www.olivelab.it)



olivelab

OliveLab s.r.l.  
C.so Castelfidardo 30/A  
10129 Torino  
Italy